UNLEASH YOUR INNER

THE ALL NEW



MAVERICK X3

A MAVERICK DOESN'T TAKE SHORTCUTS, AND NEITHER DID WE. AN UNQUENCHABLE THIRST FOR HARNESSING EARTH-SHATTERING POWER LED TO OUR MOST ADVANCED SUSPENSION, CHASSIS, COCKPIT, AND DRIVER-FOCUSED DESIGN EVER. THE MAVERICK X3: BUILT TO DEFY WHAT YOU THOUGHT WAS POSSIBLE. **UNLEASH YOUR INNER MAVERICK.**



the state of the state

DEFIANT

THE CAN-AM MAVERICK X3 HAS AN EXTREMELY BOLD **CHARACTER THAT UNDENIABLY SEPARATES IT FROM** THE CROWD, AND IT'S DESIGNED SO THE DRIVER AND **PASSENGER FEEL CONNECTED TO ITS EVERY MOVE.** ENGINEERED TO BE DRIVER-FOCUSED AND INTUITIVE. THE MAVERICK X3 ENSURES DRIVERS OF ANY SKILL LEVEL WILL BE ABLE TO CONFIDENTLY TACKLE THE **CHOSEN TERRAIN.**

PRECISE

FEATURING A REVOLUTIONARY, BEST-IN-CLASS, HIGH-PERFORMANCE SUSPENSION SYSTEM WITH EXCELLENT FRONT AND REAR BALANCE. THE MAVERICK X3'S OPTIMIZED HANDLING IS ANCHORED BY A NEXT-GENERATION FULLY-WELDED LIGHTWEIGHT STEEL CHASSIS FOR SUPERIOR PERFORMANCE.

POWERFU

FOR PERFORMANCE IN ALL CONDITIONS, THE CAN-AM MAVERICK X3 INTRODUCES AN **ENTIRELY NEW LEVEL OF POWER WITH ITS 154 HP** TURBOCHARGED AND INTERCOOLED ROTAX ACE ENGINE, NOW WITH IMPROVED AIRFLOW AND **A RESPONSIVE ENHANCED TRANSMISSION TUNED TO HELP FIND MORE SPEED... ANYWHERE.**





The X3 tears up the side-by-side vehicle rulebook with a single promise: to connect you with its every move. From its unmistakable, future-forward exterior design to its Ergo-Lok cockpit that puts the driver at the heart of the vehicle and with its unique Can-Am LED signature, it's time to tackle terrain from the comfort of your very own off-road beast.

TRADEMARK CAN-AM DNA WITH





LOW SEATS, BOLD STANCE

Its low seating arrangement is designed to encapsulate both driver and passenger so they feel connected to the vehicle's every move, without compromising ground clearance at up to 15 inches. Its high and dominant posture is enhanced with race car-inspired one-piece molded seats with ideal support, weight distribution, and 4-way adjustablility.

ERGO-LOK COCKPIT WITH FOUR-WAY ADJUSTABLE SEATS

Everything is in its right place, from the sports car-like centered accelerator and brake pedals to race-inspired, flat-bottom steering wheel that tilts up or down 25°. The four-way adjustable seats – 2 inches in height and 6 inches in slide, ease of accessorization, and integrated wiring allow it to truly adapt to its owner.







TTX SUSPENSION WITH INDUSTRY LEADING TRAVEL

The Can-Am Maverick X3 X rs Turbo R side-by-side vehicle features an industry-leading 24 inches (61 cm) of suspension travel. Can-Am's all-new four-link TTX suspension features a trophy truck-like trailing arm and three links dedicated to controlling camber while delivering optimal geometry at all times, even during extended wheel travel. The result? Unparalleled power transfer to wheels, virtually no bump steer, precise steering response, and more confidence at higher speeds.

SHARPEST HANDLING FEATURES

From its arched double tubular A-Arm and sway bar up front to its race-inspired quick-ratio D-shaped steering wheel, Tri-Mode DPS system, and Intelligent Throttle Control (iTC[™]), the Maverick X3 provides precise handling even in rough terrain or at high speed.

ULTRA EFFICIENT AND LIGHTWEIGHT CHASSIS

The Maverick X3 features a fully welded ultralight, rigid chassis made of state-of-the-art Dual-Phase 980 steel. So? Figure 53% better torsional stiffness and still 20% lighter than its closest competitor.



ACE ENGINE



154 HP WITH TURBOCHARGED AND INTERCOOLED ROTAX®

Meet the ultimate of side-by-side engines, the precisionengineered triple-cylinder Rotax ACE engine. Its relentless, turbocharged power gives searing speed, no matter the terrain.

ADVANCED AIRFLOW DYNAMICS

With an intake and exhaust tuned to maximize power, efficiency, and throttle response, the Can-Am Maverick X3 will never be starved for performance. Three oversized, out-of-the-way intakes feed the engine and the CVT with clean air and keep temperatures low, with a sport exhaust out back to let the Rotax ACE engine roar.

SHIFTLESS ORS-X TRANSMISSION

A compact, high-performance QRS-X CVT has been calibrated to work with the turbo to virtually eliminate lag, without shifting or torque interruption to slow you down. Its large drive-a long, wide, and thick belt—is our most robust three-roller pulley design yet.





Standard features and technologies

154 HP ROTAX ACE TRIPLE-CYLINDER TURBOCHARGED ENGINE WITH INTEGRATED INTERCOOLER AND DONALDSON+ HIGH-PERFORMANCE AIR FILTER QUICK RESPONSE SYSTEM X (QRS-X) CVT WITH HIGH AIRFLOW 4-LINK TORSIONAL TRAILING-ARM X (TTX) REAR SUSPENSION DOUBLE A-ARM FRONT SUSPENSION

Specific to models

MAVERICKTM X3 TURBO R

64 in. wide

14 in. aluminum wheels with 28 in. Maxxis Bighorn† 2.0 tires

Front and rear 20 in. of suspension travel

FOX† 2.5 PODIUM Piggyback shocks with QS3† compression adjustment

Full High Molecular Weight (HMW) skid plate

14 in. of ground clearance

White color option



MAVERICK[™] X3 X[™] DS TURBO R

64 in. wide

14 in. aluminum beadlock wheels with 29 in. Maxxis Bighorn 2.0 tires

Front and rear 20 in. of suspension travel

Fully adjustable FOX 2.5 PODIUM RC2† Piggyback shocks

Full High Molecular Weight (HMW) skid plate

14 in. of ground clearance

X package decals and seat trims

Triple Black, Circuit Yellow painted color options



MAVERICK[™] X3 X[™] RS TURBO R

72 in. wide

14 in. aluminum beadlock wheels with 30 in. Maxxis Bighorn 2.0 tires

22 in. of front suspension travel and 24 in. of rear suspension travel Fully adjustable FOX 3.0 PODIUM RC2

remote reservoir shocks with bypass

15 in. of ground clearance Heavy-duty full High Molecular Weight (HMW) skid plate Full roof

X package decals and seat trims

Triple Black, Gold & Can-Am Red painted color options



MAVERICK X3 IS ABOUT THE RUSH AND BREATHTAKING EXHILARATION OF A TURBOCHARGED ROTAX ENGINE UNLEASHED WITHIN A FINELY TUNED PERFORMANCE MACHINE THAT CAN GO ANYWHERE. THE MAVERICK X3 CHALLENGES YOUR LIMITS, LETS YOU TRAVEL FARTHER, CLIMB HIGHER, AND NEGOTIATE TIGHTER TURNS IN TOUGHER TERRAIN THAN YOU THOUGHT POSSIBLE. OFFICIAL BRP ACCESSORIES OFFER AN ENTIRELY NEW LEVEL OF ENJOYMENT AND ARE DESIGNED TO ENHANCE YOUR MACHINE'S ALREADY **IMPRESSIVE COMFORT AND GREAT LOOKS.**

PERFORMANCE ACCESSORIES

SHOWN ON VEHICLE

Lonsestar Racing Front Bumper 715004161

Lonsestar Racing Front Intrusion Bar 715004163

Lonestar Racing Rear Bumper 715004162

Lonestar Racing Rear Intrusion Bar 715004164

Lonestar Racing **Rock Sliders** 715004165

Lonestar Racing **Spare Tire Holder** 715004166

Awesome performance gives an incredible rush of adrenaline. That's why you ride a Maverick X3 X rs Turbo R with a 154 horsepower Rotax as its heart. Excitement is what got you in the game-our accessories let you play according to your rules. Choose from a selection of fully-engineered, performance-driven accessories to get more comfort, more protection, and enhance the look of your Maverick X3.

Lonestar Racing Fire Extinguisher Support 715003734

Lonestar Racing Number Plate Holder 715003943

Lonestar Racing 40" (102 cm) LED Light Bar Rack 715003920

40" (102 cm) Baja Design OnX6 Arc LED Light Bar 710004630

Lonestar Racing Aluminum Roof 715004160



ACCESSORIES

Your Mayerick X3 was made for desert adventure. and X3 accessories can intensify excitement by ratcheting up both comfort and style. A Maverick X3 won't stop for the heat, and it won't slow down in even the most demanding terrain. Cutting-edge Can-Am accessories have been designed for drivers who crave non-stop high-energy desert excitement, and offer more comfort, protection, and a desert-honed look.

SHOWN ON VEHICLE

Front Pre-Runner **Bumper** 715003433 Rear Pre-Runner **Bumper** 715003436

Rock Slider

LinQ Pivoting Rack LinQ 8 GAL (30L) Cooler Box

Half Windshield

715003438 Light Support Bar

Baja Design XL80 **LED Light** 710005041

Baja Design XL Sport **LED Light** 710005287



Rear Wind Screen

Super Extended

Fender Flares

MAVERICK X3 X RS TURBO R Gold & Can-Am Red





White

DUNE **ACCESSORIES**

Dunes intimidate: tough and towering, every climb turns into a battle of wills—the dunes' against yours. But there isn't one big or bad enough to scare you off. Give your Maverick X3 an unbeatable edge by adding accessories made to challenge every dune you can find.

SHOWN ON VEHICLE

Dune Front Bumper 715002961 Dune Rear Bumper 715002962 Front Intrusion Bar 715002889

10 1000000 1000000 00

Extension 715002890 Lower Door Panel

Rear Cage

715002903 40" (102 cm) Baja Design OnX6 Arc LED Light Bar

710004630

Light Support Bar 715003529

Lighted Whip Flag 715002886

Aluminum Roof 715002900

Complete MTX Audio system 715002873 Baja Design

Squadron Sport LED Light 710004648

Racing Side Mirrors 715002898

Electronic Device Holder 715002874

BUT WAIT, **THERE'S** MORE

We're dedicated to evolving the game forward, and plan on enabling every last bit of comfort and pumping up the Maverick X3's knockout good looks with cutting-edge accessories. Can-Am engineers never stop working on new features and enhancements to get the most out of your ride, so keep an eye out for much more to come. Here's a sneak peek of what you can expect soon.

(SEARCH

COMPLETE MTX AUDIO SYSTEM INTERCOM SYSTEM CAR-TO-CAR SYSTEM

BEARD SEATS

YOSHIMURA **EXHAUST**

CHASE LIGHTS

MAVERICK X3 TURBO R

MAVERICK X3 TURBO R



ENGINE

154 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-Cylinder engine, liquid cooled with integrated intercooler and Donaldson† high-perfomance air filter

Fuel Delivery System

Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)

Transmission Quick Response System X (QRS-X) CVT

with high airflow, L / H / N / R / P Drive Train

Selectable 2WD / 4WD with Visco-Lok† X auto-locking front differential

Power Steering Tri-Mode Dynamic Power Steering (DPS™)

Front Suspension

SUSPENSIONS

Double A-Arm with sway bar 20 in. (50.8 cm) travel Front Shocks FOX 2.5 PODIUM Piggyback with QS3[†] com-

pression adjustment **Rear Suspension**

4-link Torsional Trailing-Arm X (TTX) with sway bar, 20 in. (50.8 cm) travel Rear Shocks FOX 2.5 PODIUM Piggyback with QS3[†]

compression adjustment and bottomout control

Front Tires Maxxis Bighorn 2.0 28 x 9 x 14 in. (71.1 x 22.9 x 35.6 cm)

Rear Tires

TIRES / WHEELS

Maxxis Bighorn 2.0 28 x 11 x 14 in. (71.1 x 27.9 x 35.6 cm)

Wheels

14 in. (35.6 cm) aluminum

BRAKES

Front Dual 262 mm ventilated disc brakes with hydraulic twin-piston calipers

Rear Dual 248 mm ventilated disc brakes with hydraulic twin-piston calipers

MAVERICK X3 X DS TURBO R



Triple Black

Circuit Yellow

Type 154 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triplecylinder engine. liquid cooled with integrated intercooler and Donaldson high-perfomance air filter

Fuel Delivery System Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)

Transmission Quick Response System X (QRS-X) CVT

with high airflow, L / H / N / R / P Drive Train

Selectable 2WD / 4WD with Visco-Lok† X auto-locking front differential

Power Steering Tri-Mode Dynamic Power Steering (DPS™)

Front Suspension

Double A-Arm with swav bar 20 in. (50.8 cm) travel Front Shocks FOX 2.5 PODIUM RC2[†] Piggyback

with dual speed compression and rebound adjustments **Rear Suspension**

4-link Torsional Trailing-Arm X (TTX) with sway bar, 20 in. (50.8 cm) travel

Rear Shocks

FOX 2.5 PODIUM RC2⁺ Piggyback with dual speed compression, rebound adjustments and bottom-out control

Front Tires

Maxxis Bighorn 2.0 29 x 9 x 14 in. (73.7 x 22.9 x 35.6 cm) Rear Tires

Maxxis Bighorn 2.0 29 x 11 x 14 in. (73.7 x 27.9 x 35.6 cm) Wheels

14 in. (35.6 cm) aluminum beadlock

Front

Dual 262 mm ventilated disc brakes with hydraulic twin-piston calipers

Rear Dual 248 mm ventilated disc brakes with hydraulic twin-piston calipers

MAVERICK X3 X RS TURBO R



Gold & Can-Am Red

Type 154 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triplecylinder engine, liquid cooled with integrated intercooler and Donaldson high-perfomance air filter

Fuel Delivery System

Intelligent Throttle Control (iTC[™]) with Electronic Fuel Injection (EFI)

Transmission Quick Response System X (QRS-X) CVT

with high airflow, L / H / N / R / P Drive Train

Selectable 2WD / 4WD with Visco-Lok[‡] X auto-locking front differential

Power Steering Tri-Mode Dynamic Power Steering (DPS™)

Front Suspension

Trophy truck inspired double A-Arm

with sway bar 22 in. (55.9 cm) travel. Front Shocks

FOX 2.5 PODIUM RC2 Piggyback

with bypass, dual speed compression and rebound adjustments

Rear Suspension 4-link Torsional Trailing-Arm X (TTX) with sway bar, 24 in. (61 cm) travel

Rear Shocks

FOX† 3.0 PODIUM RC2 remote reservoir with bypass, dual speed compression and rebound adjustments

Front Tires

Maxxis Bighorn 2.0 30 x 10 x 14 in. (76.2 x 25.4 x 35.6 cm)

Rear Tires Maxxis Bighorn 2.0

30 x 10 x 14 in. (76.2 x 25.4 x 35.6 cm) Wheels

14 in. (35.6 cm) aluminum beadlock

with hydraulic twin-piston calipers Rear Dual 248 mm ventilated disc brakes with hydraulic twin-piston calipers

Dual 262 mm ventilated disc brakes

Front

DIMENSIONS / CAPACITIES

Estimated Dry Weight

1,470 lb (666.9 kg)

Chassis / Cage

131 x 64 x 66 in. (332.7 x 162.5 x 167.6 cm)

Wheelbase 102 in. (259.1 cm)

LxWxH

Ground Clearance 14 in. (35.6 cm)

Rack Capacity

200 lb (91 kg) with LinQ™ quick-attach

Dual-phase 980 steel and fully welded

Storage Capacity

Total: 2.5 US Gal (9.4 L) Glove box: 1.6 US gal (6.2 L) Central console: 0.8 US gal (2.8 L) Cup holders: 0.1 US gal (0.4 L)

Fuel Capacity 10.5 gal (40L)

Estimated Dry Weight

1.490 lb (675.9 kg)

Chassis / Cage

Wheelbase 102 in. (259.1 cm)

LxWxH

Ground Clearance 14 in. (35.6 cm)

Rack Capacity

200 lb (91 kg) with LinQ™ quick-attach Storage Capacity

Dual-phase 980 steel and fully welded

131 x 64 x 66 in. (332.7 x 162.5 x 167.6 cm)

Total: 2.5 US Gal (9.4 L) Glove box: 1.6 US gal (6.2 L) Central console: 0.8 US gal (2.8 L) Cup holders: 0.1 US gal (0.4 L)

Fuel Capacity 10.5 gal (40L)

Estimated Dry Weight 1,585 lb (718.9 kg)

Chassis / Cage Dual-phase 980 steel and fully welded L x W x H 132 x 72 x 67 in. (335.3x 182.9 x 170.2 cm)

Wheelbase

102 in. (259.1 cm) Ground Clearance 15 in. (38.1 cm)

Rack Capacity

200 lb (91 kg) with LinQ™ quick-attach Storage Capacity

Total: 2.5 US Gal (9.4 L) Glove box: 1.6 US gal (6.2 L) Central console: 0.8 US gal (2.8 L) Cup holders: 0.1 US gal (0.4 L)

Fuel Capacity 10.5 gal (40L)

FEATURES

Gauge

Multifunction analog / digital: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, sport / ECO™ mode, seat belt and 4 x 4 indicator, diagnostics, clock, auto shutoff

Instrumentation

Lighter type DC Outlet in central console Anti-Theft System

RF Digitally Encoded Security System (D.E.S.S.™) with Start / Stop button

Lighting LED headlights and tail lights with unique Can-Am LED signature

Protection

Integrated front bumper, full High Molecular Weight (HMW) skid plate and quarter-doors

Multifunction analog / digital: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, sport / ECO™ mode, seat belt and 4 x 4 indicator, diagnostics, clock, auto shutoff

Instrumentation

Lighter type DC Outlet in central console Anti-Theft System

RF Digitally Encoded Security System (D.E.S.S.[™]) with Start / Stop button

LED headlights and tail lights with unique Can-Am LED signature

Protection

Integrated front bumper, full High Molecular Weight (HMW) skid plate and guarter-doors

Gauge

Multifunction analog / digital: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, sport / ECO[™] mode, seat belt and 4 x 4 indicator, diagnostics, clock, auto shutoff

Instrumentation

Lighter type DC Outlet in central console

Anti-Theft System

RF Digitally Encoded Security System (D.E.S.S.™) with Start / Stop button

Lighting

LED headlights and tail lights with unique Can-Am LED signature

Protection

Integrated front bumper, heavy-duty full High Molecular Weight (HMW) skid plate. quarter-doors and full roof.

Factory

6 months limited warranty Extended Up to 30 months B.E.S.T. coverage

Factory

WARRANTY

6 months limited warranty

Up to 30 months B.E.S.T. coverage

Factory

Extended

6 months limited warranty Extended Up to 30 months B.E.S.T. coverage

the U.S.A. by BF to product qualit the optional equi belt at all times. 12 years old and for the environme buted in t imitment may incli and seat at least 1 respect t om ted be depic teral must les. Son gea name - name I dry weight tincurring a ction and c nust be at I nust be at I neir respect atures, mod /our safety: v surfaces or are the ins, pri before lever ri ir rights ، rrademarks ¿ e specificatio, Safety DVD I - Use only. Ne o urges vr i an her tra ange road BRP s Inc. (All oth e or cha e or cha natch for off-ckrest. onal Products ive GmbH. † / o discontinue o 's Guide and w mix. SSV is fo gainst the back Bombardier Recreation emark of GKN Viscodriv the right at any time to rehicle (SSV) Operator's d alcohol/drugs don't n th feet while seated agai



